

HOISTS

JDN CONTROLS

Specially
tailored to your
requirements



J·D·NEUHAUS
1745
permanent excellence

You can order JDN hoists and cranes with different control options, specially tailored to your requirements.



ROPE CONTROL

SUITABLE FOR ANY CONTROL LENGTH:
This control type provides infinitely speed control for hoist lifting and lowering motions and is suitable for any required control length. The rope control option is available for all PROFI series hoists up to 20 t capacity. For larger capacity PROFI series hoists 25 TI, 30 TI, 37 TI, 50 TI and 100 TI the rope is replaced by a pull chain for greater strength.



S-CONTROL

SENSITIVE CONTROL, FOR EASY HANDLING:
This S-Control allows very sensitive regulation of the speeds. While developing the control the ergonomics were a focal point. The strong and robust design allows the user a pleasant working and a safe moving of loads. The use of non-rusting materials allows the application in areas with aggressive substances in the atmosphere.
The compact control hose has the hose relief already integrated – with a distinctly higher force. The S-control can optionally be expanded with an additional trigger guard for the lifting and lowering buttons.



E-CONTROL

LOW MAINTENANCE AND CORROSION PROOF:
The very robust brass construction distinguishes the E-type pendant control valve. Low weight and ergonomic design ensure ease of handling. Only available in single speed control version.

F-CONTROL



AVAILABLE FOR MULTI-FUNCTION USE:
The F-control is manufactured from an unbreakable synthetic material, resistant to external conditions. The ergonomically designed housing ensures ease of handling. Up to 18 different control functions can be incorporated in a single pendant control e.g key switch, two stage travelling speed, klaxon or simultaneous control of two hoist motors. As an option the F-control can also be delivered with infinitely variable speed control of hoisting and trolley travelling motions.

CONTROLS FOR JDN-AIR HOISTS IN MOTOR TROLLEY
AND JDN MONORAIL HOISTS:
For controlling JDN air hoists in motor trolleys and JDN monorail hoists we recommend the four button version of the E or F-control.

CONTROLS FOR JDN AIR CRANES:
For controlling JDN air cranes the F-control is the most suitable because of it's multi-function capability.

SERVICE PARTNERSHIP AND DIALOGUE

For all of our customers in a variety of demanding industries and processes, JDN PROFI hoists are synonymous with high performance, absolute reliability, maximum availability and minimum maintenance times – all with maximum safety.

Feedback from the market shows us how much our customers value the PROFI series as a reliable tool. However, to continue to develop our products for industries, sectors or special application areas, we remain in close dialogue with our customers. We would like to invite you to join this group. Perhaps you would also like advice on the application or customisation options for our PROFI hoists, such as our largest equipment with a load-carrying capacity of 25 to 100 t?

Our experienced Global Project Team would be happy to discuss individual enquiries with you.

Please do not hesitate to contact us for more information. Our sales, project management and service staff would be happy to help.

J.D. Neuhaus Group

info@jdngroup.com
jdngroup.com

Locations:
Germany - Headquarter
France
Singapore
United Kingdom
United States

