SAFE LASHING.
HEAVY GOODS VEHICLES.

Version 1.0 | English

made in Germany



Your advantage. Our promise.

+ **Clear labelling**

  RUD products have a clear label of the admissible bearing and lashing load.

+ **Expertise and know-how**

  RUD. Your flexible advisor and partner for your individual requirements and load concepts.

+ **Along the entire value-added chain**

  RUD. Your competent partner for load securing and lifting processes – where ergonomics, service and costs awareness meets the broadest product range.

+ **Individual branding**


  RUD products can be adjusted to your brand (company logo) and are easy to paint in your colour. This supports the premium character and the visual consistency of your product.

+ **Optimised shape**

  RUD lashing points reduce lashing equipment wear occurrence. Round shapes, no sharp edges.



YOUR DAILY CHALLE
OUR VARIED SOLUTI



FLEXIBLE

Is the practical **placing and dimensioning** of your lifting and lashing points a **challenge** for you?

→ The highly robust, loadable from all sides RUD lashing points combine small material cross-sections with large eye diameters. In this way, you achieve maximum flexibility for the use of different lashing equipment. Whether screwable, weldable or engageable – RUD offers everything from a single source. The OPTILASH-CLICK can be variably engaged in and out of matching bases. In addition, varied welding surface variants allow perfect integration into your construction. We are happy to support you free-of-charge with your load concept!




NGES.
ONS.



LEGALLY SAFE

Do your lashing points fulfil all **standards and laws**?

→ RUD is the world's leading manufacturer of innovative lashing points. RUD products offer extra safety because they comply with all applicable standards and laws. All lashing points are also 100% crack-tested and are subject to the strictest quality controls.
The art of engineering – Made in Germany.



ECONOMIC

Is a **hole** in the frame or a **welded piece of round steel** the right **solution**?

→ Standardised and tested RUD lifting and lashing points save you time and money. Insist on parts supplied by RUD and reduce your costs for construction, manufacture and strength verification.
Through its flexible attachment, the OPTILASH-CLICK reduces the number of lashing points needed, thereby saving costs and weight.

RUD solutions

Lashing points

- ✓ Capable of bearing loads from all sides
- ✓ 2-fold safety against breakage
- ✓ Tensile strength with LC labelling in daN
- ✓ No sharp edges – reduced wear occurrence on lashing equipment
- ✓ Optimum connection size



LPW
- ✓ Patented 90° load support



LRBS-FIX
- ✓ Bracket can be pivoted through 180°
- ✓ Split force introduction



OPTILASH-FIX
- ✓ Special offset shape: flat lashing angle possible
- ✓ Can also be used for oversized loads
- ✓ Can be simply replaced with OPTILASH-CLICK



OPTILASH-CLICK
- ✓ Can be fitted easily, subsequently, and from outside into guide base without tools
- ✓ Installation possible after painting or galvanising of the vehicle frame



SLP
- ✓ Pivoting area 270°
- ✓ With holding spring for noise dampening




LVLBG-PLUS
- ✓ Bracket can be pivoted 180°
- ✓ Lashing point pivots 360°

Please see also our extensive lashing equipment and lifting means program.



Lashing equipment



Slings

RUD lifting and lashing equipment have been guaranteeing safety during the lifting, moving and lashing of loads for many decades. Thanks to its unique product and material portfolio, RUD can supply the perfect solution for every application.

Get in touch. Our experienced service team will be happy to help:

RUD Ketten
Rieger & Dietz GmbH u. Co. KG

Friedensinsel
73432 Aalen, Germany

Tel.: +49 7361 504-1270
Fax: +49 7361 504-1729

E-mail: sling@rud.com
Web: slingandlashing.rud.com

8505543/B/04.21